DARTANK

PRODUCT DATA SHEET

WALLPAPERS

Wallpaper HARRY GLOSSY (D3PP442)

HARRY GLOSSY (D3PP442) — contract vinyl covering, 950g/m2, width 135 cm.

Dartank reference **D3PP442**

WALLPAPER

Wallpaper HARRY GLOSSY (D3PP442)

HARRY GLOSSY (D3PP442) — contract vinyl covering, 950g/m2, width 135 cm.

HEAVY-DUTY VINYL WALLCOVERING | VINYLE | REACTION TO FIRE B-S2,D0



IDENTIFICATION

Dartank reference	**D3PP442**
Dartank EAN	**3701839332276**
Material	**Heavy-duty vinyl wallcovering**
Sales unit	**rouleau**

OVERVIEW

Overview

Thick vinyl wallcovering (450 to 950 g/m²) supplied in 21 or 42 m rolls about 135 to 138 cm wide. Designed primarily for hotels, it resists scratches, impacts, temperatures and chemicals, can be washed and scrubbed, and improves room acoustics. A built-in antimicrobial agent limits the growth of bacteria and mould.

KEY BENEFITS

01
Impact-resistant
Withstands scratches and knocks in busy spaces.

02
Scrubbable
Washable and scrubbable; virtually maintenance-free.

03
Antimicrobial
Built-in agent against bacteria and mould, active for life.

04
Longevity
10 to 15 years in good condition.

05
Acoustic comfort
Improves acoustics compared with a painted wall.

06
Rated B-s2,d0
Reaction to fire B-s2,d0 and light fastness 7 to 8 out of 8.

PRODUCT CHARACTERISTICS

Material	**Vinyle**

THE MATERIAL

Heavy-duty vinyl wallcovering

Thick vinyl wallcovering in rolls, designed for hotels and high-traffic areas: impact-, scratch- and chemical-resistant, scrubbable.

Composition	**Heavy-gauge contract vinyl**
Intended use	**Hotels, offices, shops, restaurants and homes: high-traffic areas**
Weight per m²	**450–950 g/m² ±**
Strip width	**135–138 cm ±**
Roll length	**21–42 m**
Strip joining	**Professional double-overlap installation, cut in the middle, strips reversed or not as per the instructions**

PERFORMANCE AND TEST RESULTS

Property	Standard	Result
Reaction to fire	EN 13501-1	**B-s2,d0**
Washability		**Washable and scrubbable**
Light fastness		**7 to 8 on the 1–8 scale (xenon test)**
Antimicrobial treatment		**Antimicrobial agent built in during manufacture, active for the whole service life (bacteria, mould)**
Indicative service life		**10–15 ans**

WARRANTY

Warranty

Against manufacturing and mechanical defects in normal use, 5 years from delivery, for professional installation per the manufacturer's instructions.

5-year warranty

MAINTENANCE


Care and cleaning


Cleaning	**Wash with water and scrub if needed; the wallcovering needs virtually no maintenance.**

COLOURS AND OPTIONS

Shades


HARRY-GLOSSY-W-01-436


HARRY-GLOSSY-W-01-4365


HARRY-GLOSSY-W-01-055


HARRY-GLOSSY-W-01-051

Available materials

Vinyl wallpaper Dolores DECO · Vinyl wallpaper Canvas DECO · Vinyl wallpaper Fine Line DECO · Vinyl wallpaper Len DECO · Vinyl wallaper Glam DECO · Vinyl wallpaper Plaster DECO · NATURAL wallpaper Organic SISAL · BioLen Terra · Soyeux textile · Vinyl Wallpaper Golden Leaf

PRECAUTIONS

- **Professional installation** To be installed by a professional, per the instructions supplied with the roll.
- **Horizontal stripes** On horizontally striped designs, slight panelling between strips may occur.

Non-contractual document. Values are given for guidance; official documents are available on request.