DARTANK

PRODUCT DATA SHEET



WALLPAPERS

# Wallpaper ILLA (D3PP444)

ILLA (D3PP444) — contract vinyl covering, 950g/m2, width 135 cm.

Dartank reference **D3PP444**

WALLPAPER

# Wallpaper ILLA (D3PP444)

ILLA (D3PP444) — contract vinyl covering, 950g/m2, width 135 cm.

HEAVY-DUTY VINYL WALLCOVERING | VINYLE | REACTION TO FIRE B-S2,D0



## IDENTIFICATION

| | |
|---|---|
| Dartank reference | **D3PP444** |
| Dartank EAN | **3701839332252** |
| Material | **Heavy-duty vinyl wallcovering** |
| Sales unit | **rouleau** |

OVERVIEW

## Overview

Thick vinyl wallcovering (450 to 950 g/m²) supplied in 21 or 42 m rolls about 135 to 138 cm wide. Designed primarily for hotels, it resists scratches, impacts, temperatures and chemicals, can be washed and scrubbed, and improves room acoustics. A built-in antimicrobial agent limits the growth of bacteria and mould.

KEY BENEFITS

**01**
**Impact-resistant**
Withstands scratches and knocks in busy spaces.

**02**
**Scrubbable**
Washable and scrubbable; virtually maintenance-free.

**03**
**Antimicrobial**
Built-in agent against bacteria and mould, active for life.

**04**
**Longevity**
10 to 15 years in good condition.

**05**
**Acoustic comfort**
Improves acoustics compared with a painted wall.

**06**
**Rated B-s2,d0**
Reaction to fire B-s2,d0 and light fastness 7 to 8 out of 8.

## PRODUCT CHARACTERISTICS

| | |
|---|---|
| Material | **Vinyle** |

## THE MATERIAL

### Heavy-duty vinyl wallcovering

Thick vinyl wallcovering in rolls, designed for hotels and high-traffic areas: impact-, scratch- and chemical-resistant, scrubbable.

| | |
|---|---|
| Composition | **Heavy-gauge contract vinyl** |
| Intended use | **Hotels, offices, shops, restaurants and homes: high-traffic areas** |
| Weight per m² | **450–950 g/m² ±** |
| Strip width | **135–138 cm ±** |
| Roll length | **21–42 m** |
| Strip joining | **Professional double-overlap installation, cut in the middle, strips reversed or not as per the instructions** |

## PERFORMANCE AND TEST RESULTS

| Property | Standard | Result |
|---|---|---|
| Reaction to fire | EN 13501-1 | **B-s2,d0** |
| Washability | | **Washable and scrubbable** |
| Light fastness | | **7 to 8 on the 1–8 scale (xenon test)** |
| Antimicrobial treatment | | **Antimicrobial agent built in during manufacture, active for the whole service life (bacteria, mould)** |
| Indicative service life | | **10–15 ans** |

## WARRANTY

### Warranty

**Against manufacturing and mechanical defects in normal use, 5 years from delivery, for professional installation per the manufacturer's instructions.**

5-year warranty


## MAINTENANCE


### Care and cleaning


| | |
|---|---|
| Cleaning | **Wash with water and scrub if needed; the wallcovering needs virtually no maintenance.** |


## COLOURS AND OPTIONS

### Shades


ILLA-W-27_02


ILLA-W-27_05


ILLA-W-27_055


ILLA-W-27_18

### Available materials

Vinyl wallpaper Dolores DECO · Vinyl wallpaper Canvas DECO · Vinyl wallpaper Fine Line DECO · Vinyl wallpaper Len DECO · Vinyl wallaper Glam DECO · Vinyl wallpaper Plaster DECO · NATURAL wallpaper Organic SISAL · BioLen Terra · Soyeux textile · Vinyl Wallpaper Golden Leaf

## PRECAUTIONS

- **Professional installation** To be installed by a professional, per the instructions supplied with the roll.
- **Horizontal stripes** On horizontally striped designs, slight panelling between strips may occur.

Non-contractual document. Values are given for guidance; official documents are available on request.